



Whirlpool Refrigerator Water Filter Replacement

Over time, a refrigerator's water filter...

Written By: [brenda lopez](#)



INTRODUCTION

Over time, a refrigerator's water filter becomes old and needs a replacement to keep your water clean and healthy. If your water filter replacement light is blinking. Luckily, replacing the water filter in a Whirlpool Side By Side Refrigerator is not difficult at all!

This guide will work for most Whirlpool refrigerators. This guide is written with a model WRS325FDAM04 refrigerator. If you have a different model, you may encounter some minor disassembly differences, but the overall repair process will be the same.

TOOLS:

[Towel](#) (1)

PARTS:

[EDR6D1 - Whirlpool Refrigerator Water Filter](#) (1)

[EDR4RXD1 - Whirlpool Refrigerator Water Filter](#) (1)

[F2WC9I1 - Whirlpool Refrigerator Water Filter](#) (1)

[EDR3RXD1 - Whirlpool Refrigerator Water Filter](#) (1)

[EDR2RXD1 - Whirlpool Refrigerator Water Filter](#) (1)

[EDR1RXD1 - Whirlpool Refrigerator Water Filter](#) (1)

[EDR5RXD1 - Whirlpool Refrigerator Water Filter](#) (1)

Step 1 — Open the doors



- Depending on your repair, open one or both doors.

Step 2 — Water Filter



- Pull the water filter door in the base grill open.

Step 3



- As the door opens, the filter gets ejected out.
 - When the filter is fully ejected, pull the filter out.
- ⓘ A towel is suggested as water might spill while pulling the old filter out.

Step 4



- Get the new filter out of its packaging.
- Remove the covers from the filter inlets. Make sure the O-rings stay on the filter.

Step 5



- Align the new filter with the filter housing and insert filter into place.
- ① The arrows should be facing the same way.

Step 6



- Close the filter cover door completely to snap the filter into to place correctly. You will hear a snap!

Step 7 — Flush the water system



- Flush the water system by holding the water dispenser for 5 seconds and releasing for 5 seconds repeating this step until water begins to flow.
- After water flowing, get at least a total of 3 gallons dispensed in order to see full flushed water results.

Step 8



- You may need to reset the filter indicator by pushing the switch 5 times in a row.
- When the filter indicator is reset, the light should change from red to green.

After flushing the water system completely, get ready to have some refreshing water with a cup of ice freshly made with the new installed water filter.